Guava Pest Weather Calendar: Jashore Region (Dists.: Jashore, Kushtia, Chuadanga, Jhenaidah, Meherpur, Magura) Bangladesh **Pest**: Fruit borer

	Region: Jashore	Guava																		Duration: 140 days
Weather warning	Months	Jan	February				March				April				May					June
	Max.Temp. (°C)	> 33°C																		
	Min. Temp. (°C)	> 20°C																		
	RHMax (%)	> 92%																		
	RHMin (%)	> 40%																		
	Rainfall (mm)	> 15 mm																		
Weekly normal weather	Std. week	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
	Rainfall (mm)	6.5	5.0	4.5	8.0	4.0	2.5	4.5	11.5	12.0	11.5	7.0	12.5	21.5	28.5	30.5	36.0	44.5	38.5	49.5	54.5
	Max.Temp (°C)	26.6	27.8	28.9	30.0	31.0	32.4	33.6	34.7	34.6	35.5	36.1	36.5	36.3	36.0	36.0	35.9	35.5	35.6	35.3	34.0
	Min.Temp (°C)	12.0	13.3	14.7	15.6	16.4	17.7	19.0	20.8	21.8	22.8	23.5	24.1	24.2	24.2	25.2	25.0	25.5	26.0	26.2	26.2
	RHMax(%)	94.9	94.2	94.0	93.7	93.2	92.5	92.1	92.1	92.4	92.4	92.9	92.4	92.3	92.8	92.7	93.1	93.6	94.0	94.1	94.8
	RHMin(%)	44.2	42.2	41.0	39.3	36.5	35.4	34.9	36.7	42.0	41.5	41.6	44.3	46.9	49.9	51.7	54.8	58.7	60.0	62.1	67.5
	SShr(hrs)	47.5	49.5	50.0	54.5	55.0	54.0	55.0	53.0	51.5	55.5	54.5	54.5	55.5	54.0	51.5	52.5	46.5	45.5	41.5	32.0

Stages

Appearance of flower buds

Flower bud visible


Flower opening

Fruit setting

Fruit growth

Fruit maturity and ripening

Insect's life cycle

Egg

Larva

Pupa

Adult

Egg

Larva

Pupa

Adult